

How Much Does a 2-Car Garage Door Cost at Home Depot?

A 2-car garage door, also called a double garage door, is usually broader than a standard single-car door and may require more material, heavier hardware, and stronger lifting components. At Home Depot, product prices are influenced by the door's material, insulation, window configuration, design, brand, and availability. A basic overhead garage door may cost less than a highly insulated door with decorative windows and upgraded hardware.

As a general planning range, homeowners may see product-only prices from approximately \$800 to more than \$4,000 for a 2-car garage door. Custom finishes, premium wood construction, high-performance insulation, and special dimensions can increase the price substantially. This product price is not necessarily the complete garage door replacement cost.

The final amount may include garage door installation, delivery, old door removal, disposal, new tracks, springs, cables, brackets, weather seals, taxes, and possible modifications to the garage opening. Before ordering from Home Depot, check whether the listed price covers only the door slab and hardware package or includes professional installation.

Typical Prices for Two-Car Garage Door Materials

A steel garage door is often the most practical choice for homeowners seeking durability and predictable maintenance. Basic non-insulated steel models generally have a lower purchase price, while a steel door with polyurethane or polystyrene insulation, wind reinforcement, and multiple window options costs more. Steel is also available in many colors and panel styles that suit both newer and older homes.

An insulated garage door can increase comfort in an attached garage and may reduce heat transfer into rooms located above or beside the garage. Insulation is especially useful in Los Angeles homes where garages can become very hot during summer. Compare the door's insulation rating, construction, seal quality, and warranty rather than looking only at the advertised product price.

An aluminium garage door is easy to handle and offers resistance against some forms of corrosion, although it can be more susceptible to dents. It may fit a modern home or a garage with an unusually large opening, but the frame and glass options can make the total price higher. Coastal properties should inquire about corrosion-resistant hardware because marine air near the Los Angeles coastline can speed up deterioration.

A wood garage door offers a distinctive appearance and can complement Craftsman, Spanish-style, and traditional homes in neighborhoods throughout Los Angeles. However, wood normally requires more maintenance than steel or aluminum. Staining, painting, sealing, moisture protection, and occasional repair should be accounted for in the long-term ownership budget. A two-car garage door made with custom wood panels may cost substantially more than a standard steel model.

When comparing a two-car garage door with a single-car versus double-car door arrangement, also consider convenience and structural performance. One wide door provides a broad opening but has a larger, heavier moving section. Two separate single doors may offer redundancy and can reduce the size of each moving assembly, although they require two openers and may involve a different installation layout.

Installation, Delivery, and Removal Fees

Garage door installation is usually priced separately from the product unless a retailer offers a bundled package. The labor cost depends on whether the existing opening is standard, whether the old system can be removed

easily, and whether the installer must replace the garage door track, springs, cables, rollers, or mounting supports.

Usual additional charges may include:

- Delivery from the store or distribution facility
- Professional installation labor
- Old door removal and disposal
- Replacement of worn tracks, rollers, cables, or brackets
- Framing or trim modifications
- New weatherstripping and bottom seals
- Permit or inspection charges when required by the local jurisdiction

Older garages often need additional preparation. Narrow driveways, detached garages, limited parking, low ceilings, and nonstandard opening dimensions can make the work more time-consuming. Ask for a written quote that separates labor and parts so you can see whether a low initial product price becomes a higher installed price.

2-Car Garage Door Replacement Cost in Los Angeles

The 2 car garage door replacement cost in Los Angeles varies according to the door, installation conditions, and location. A basic replacement with a standard steel door and reusable supporting hardware may be relatively simple. A premium insulated door, custom wood design, full hardware replacement, or structural modification can cost substantially more.

For planning purposes, many Los Angeles homeowners may receive total replacement estimates ranging from roughly \$1,500 to \$6,000 or more for a two-car garage door. This is a broad range rather than a guaranteed price. A simple door replacement may fall near the lower portion, while a custom or heavily modified project can exceed the upper portion.

The two car garage door replacement cost can vary between Santa Monica, Pasadena, Long Beach, and the San Fernando Valley. Travel distance, parking access, neighborhood labor demand, permit requirements, and the availability of qualified installers all affect quotes. A detached garage at the end of a narrow driveway may require additional handling time, while an older home may have an opening that does not match today's standard sizes.

Homes near the coast may need corrosion-resistant springs, fasteners, rollers, and other hardware because of marine air. Inland areas can experience heat-related wear on rubber seals, lubricants, and weatherstripping. A garage door replacement estimate should outline these conditions and state whether upgraded components are included.

Garage door repair Cost: What Homeowners Usually Pay

The garage door repair cost depends on the failed component, the labor required, accessibility, and whether the service is planned or urgent. Small adjustments or lubrication may cost less than replacing a major lifting component. A garage door service visit may also include a diagnosis or trip charge before parts and labor are added.

For common residential repairs, homeowners may encounter costs from approximately \$100 to \$500 for relatively minor work. Spring replacement, extensive track repairs, damaged panels, or emergency visits can raise the total to \$700 or more. These are planning estimates, not fixed prices, and the garage door repair pricing should be verified through a written quote.

When asking “how much does garage door repair cost,” request a breakdown showing the service call, parts, labor, taxes, disposal, and any after-hours charge. Emergency garage door repair and same-day service frequently cost more than a scheduled weekday appointment. A reputable company should explain whether the repair estimate is firm or subject to change after inspection.

Common Garage Door Repairs and Price Factors

A garage door panel may be damaged by a vehicle, wind, impact, or long-term moisture exposure. If only one section is damaged and the replacement panel is still available, replacing that section may be a practical option. Matching the color, texture, insulation, and window design can be challenging on older doors, however. A damaged garage door panel may also have bent hinges or compromised reinforcement that must be replaced at the same time.

A garage door cable supports the lifting system and can fray, loosen, or come off its drum. Cables work under significant tension, so homeowners should not attempt to reinstall them without the appropriate training and tools. The garage door roller can also wear out, become noisy, or leave the track. Replacing worn rollers may improve operation and reduce vibration.

A bent or misaligned garage door track can cause binding, uneven movement, and excessive noise. A technician may be able to adjust or secure the existing garage door track, but severely damaged track sections may need replacement. The repair price depends on whether the problem is limited to alignment or involves damaged rollers, hinges, brackets, the frame, or the opener.

Other factors include door weight, ceiling height, accessibility, rust, previous repairs, and whether the garage door is stuck in an unsafe position. Do not continue operating a door that is crooked, falling, unusually heavy, or making grinding sounds.

Garage Door Spring Cost and Replacement Options

The garage door spring cost commonly falls within approximately \$200 to \$500 for a standard residential replacement, although location, spring type, door weight, and service timing can influence the price. A broken garage door spring is one of the most common reasons a door will not open, but the correct repair requires more than simply installing a spring.

A torsion spring is mounted above the closed garage door and supports the door as it moves. An extension spring is positioned along the horizontal tracks and stretches as the door operates. Each system requires compatible parts and careful adjustment. Some doors use two springs, and replacing only one worn spring may leave the system unbalanced.

Searches for “garage door spring replacement near me” should lead to a company that clearly explains the spring type, cycle rating, labor, safety inspection, and warranty. Spring replacement is not a suitable do-it-yourself project for most homeowners because the [Garage Door Spring Replacement in Los Angeles](#) stored tension can cause serious injury.

Garage Door Opener Installation Cost for a Two-Car Garage

The garage door opener installation cost for a two-car garage typically falls from approximately \$300 to \$800, including a conventional opener and expert installation. The amount may be increased when the door is unusually heavy, the ceiling is tall, electrical work is needed, or the existing mounting structure is insufficient.

A chain-drive opener is often a budget-friendly option and can lift many standard residential doors consistently. It may produce more operating noise than belt-drive or wall-mounted systems, which matters when bedrooms or living areas are near the garage. The garage door opener must be matched to the door's weight and configuration rather than selected solely by price.

A Wi-Fi garage door opener can allow smartphone notifications, remote operation, scheduling, and integration with compatible home systems. These features may add to the equipment cost but can provide useful access control. Confirm that the opener includes the required safety sensors, wall control, remotes, battery backup if desired, and coverage for the installation.

Garage door opener installation may also reveal problems with the door itself. If the door is heavy, unbalanced, or binding on the tracks, installing a stronger opener will not correct the root problem. A technician should test the springs, cables, rollers, track, balance, and reversing safety system before finishing the installation.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

Fix or Replace: Which Choice Is More Practical?

A repair or replacement decision depends on the door's age, condition, safety level, appearance, and long-term upkeep requirements. If the door has a broken roller, cable, spring, or a single damaged garage door panel while the frame and other sections remain in good condition, repair may be the practical choice.

Replacement may make more sense when several components are failing, the door is severely rusted, the opening is unsafe, or replacement parts are discontinued. Compare the repair price with the garage door replacement cost, including additional service appointments. A new insulated garage door may also improve energy efficiency and minimize drafts through a garage connected to conditioned living space.

Door lifespan varies with build quality, climate, usage, maintenance, and installation quality. A relatively young door with one failed component often can usually be repaired. An older door with repeated spring, panel, track, and opener problems may justify replacement. Ask for both options in the garage door replacement estimate, including the anticipated warranty protection for parts and labor.

Finding Garage Door Repair Near Me in Los Angeles

When looking for garage door repair near me, choose a company that explains its service area, pricing process, and qualifications. A licensed contractor should be able to outline the proposed work and provide proof of licensing where required. Los Angeles County homeowners should verify contractor licensing through the California Contractors State License Board before accepting installation or major replacement work.

Ask whether the company offers same-day garage door repair, emergency garage door repair, or scheduled appointments. Same-day service is helpful when a vehicle is trapped inside, but emergency pricing may include after-hours labor or a higher dispatch charge. Confirm the expected arrival window and whether the diagnostic fee is applied to approved work.

Pricing can change across Santa Monica, Pasadena, Long Beach, and the San Fernando Valley because of travel distance, traffic, parking, and local labor demand. A technician may need more time at a home with a narrow

driveway, detached garage, restricted access, or unusual opening. Older Los Angeles housing stock frequently includes nonstandard dimensions and framing that can raise modification costs.

Before work begins, request identification, insurance information, a written quote, parts specifications, and warranty terms. Do not authorizing major work based only on a phone description of a broken spring or panel.

How to Compare Home Depot and Local Garage Door Repair Pricing

Home Depot can be valuable for comparing door styles, materials, insulation levels, and product purchase prices. Home Depot installation may be arranged through an installation program or a designated service provider, so confirm who will perform the work and who handles ongoing service.

A local garage door company may provide faster diagnosis, more flexible scheduling, and access to a broader range of springs, rollers, cables, panels, and openers. Local expertise can be beneficial for older Los Angeles homes, coastal corrosion, detached garages, and nonstandard openings. However, compare companies carefully rather than assuming local service is automatically less expensive.

Use the same questions for every estimate:

- Is the price for parts, labor, delivery, removal, and disposal?
- Are the garage door track, rollers, cables, springs, and brackets included?
- Will the installer modify the opening or framing if dimensions are nonstandard?
- What warranty applies to the door, hardware, installation, and repair?
- Are permits or inspections required?
- Is the quote valid for a stated period?

Compare the warranty, not just the initial price. A written estimate should outline the door model, insulation, hardware, installation scope, labor cost, expected completion, and warranty coverage. A detailed written quote makes Home Depot installation and local garage door company proposals easier to evaluate fairly.

Common Questions

How much does garage door repair cost for a two-car garage in Los Angeles?

Garage door repair cost for a two-car garage in Los Angeles may range from about \$100 to \$700 or more, depending on the problem. Minor adjustments and roller repairs generally cost less than spring, cable, panel, or track replacement. Emergency appointments, difficult parking, travel distance, and older or nonstandard garages can increase the total. Obtain a written breakdown of labor and parts.

What does the typical 2 car garage door replacement cost at Home Depot?

The typical 2 car garage door replacement cost at Home Depot may range from approximately \$1,500 to \$6,000 or more after factoring in the door, delivery, garage door installation, removal, hardware, and modifications. Equipment-only prices can be much lower. Check exactly what the Home Depot estimate includes, especially installation labor, old door removal, tracks, springs, and disposal.

How much does a garage door spring cost to replace?

A garage door spring cost for replacement commonly comes around \$200 to \$500 for a standard residential system, though a heavy two-car door, dual springs, unusual hardware, emergency service, or difficult access may

raise the price. A torsion spring and extension spring use different systems, so the technician should verify the correct replacement and test the complete door afterward.

Is it cheaper to repair a garage door panel or replace the entire door?

Replacing or repairing one garage door panel is often cheaper than replacing the entire door when the remaining sections, tracks, springs, and frame are in good condition. A damaged garage door panel may be difficult to match if the model is discontinued or the finish has faded. Full replacement may provide better value when several sections are damaged, the door is near the end of its lifespan, or improved insulation and energy efficiency are important.

What is the average garage door opener installation cost?

The average garage door opener installation cost for a two-car garage is often approximately \$300 to \$800 for a standard opener and professional installation. A chain-drive opener may have a lower equipment price, while a Wi-Fi garage door opener, wall-mounted system, battery backup, electrical work, or heavy door can increase the total. Confirm that safety sensors, remotes, programming, and warranty service are included.

